


Electron Technologies, Inc.



NRL Code Overview/Status

Will Menninger, Xiaoling Zhai, Bill McGeary

Space TWT/LTWTA

Sept 15, 2005

Outline

- Introduction
- How we use NRL codes
 - Michelle 3D
 - Christine 3D
- Recent advances
 - Ku-band and C-band Efficiency
 - Ka-band Power Handling
- Example Problem
 - TWTA turn-on
- Summary/Wish List




Introduction

- Space TWT customers want "everything."
 - Efficiency, High power, Reliability, Flexibility, Schedule
- There is rarely time to iterate a design or build prototypes.
- Modern design codes which can handle large, 3D TWT problems are critical.
- Commercial TWT codes are not readily available and/or are expensive.
- Paying specialists to write proprietary modeling codes is expensive and problematic.
 - Many scientists are not especially skilled programmers.
 - What if employee leaves?
- MICHELLE 3D and CHRISTINE 3D provide an excellent solution.




Design Flowchart from IVEC 2000






Updated Design Flowchart (2005)





MICHELLE 2D/3D: Collector Design


Critical for optimizing efficiency and minimizing backstreaming.





MICHELLE 2D/3D: Gun Optics


- 2D: workhorse gun design code.
- 3D: study misalignment problems and tolerancing.






CHRISTINE 3D

Good hand-off between MICHELLE 2D and CHRISTINE 3D





Christine 3D Accurate Modeling





CHRISTINE 3D Speed

One pass, Ku-band, ~2000 particles, 3 frequencies

			Run
Code	Processor	Compile Line	Time
CHRISTINE 3D	2.2 GHz Opteron	g77 v3.3 –m64 –O3 –ffast-math	130 s
TWA3	2.2 GHz Opteron	ifc v7.1 –O3 –xW –Ob2 –tpp7 –ip –ipo –ipo_obj	115 s

Code	Processor	Compile Line	Run Time
CHRISTINE 3D	3 GHz P4	g77 v3.2.3 –O3 –ffast-math –fomit-frame-pointer	158 s
TWA3	3 GHz P4	ifl v2.4 /G6 /Ox	148 s

TWT Improvements at ETI

Ku-band and C-band Efficiency


- Efficiency requires all areas of TWT to be accurately modeled and tuned: Gun, Circuit, Window, Collector
- Accurate 3D codes such as CHRISTINE 3D and MICHELLE 3D are critical.

Ka-band Power Handling

- Power handing requires precision gun modeling, low body current, and well-designed collector optics which avoid backstreaming.
- Again, CHRISTINE 3D and MICHELLE 3D are must-have design tools for this process




88150HX Ku-band TWT (30 – 150 W)






88150HX Efficiency






88150HX Overdrive Body Current






8555HX C-band TWT (30 – 100 W)





8555HX Efficiency






999HA Ka-band TWT* (100 - 250 W)






999HA High Power Performance






999HA Wideband Performance (9 GHz)





Example Problem: TWTA Turn-on





Summary

- Today's market demands high-performance, highreliability, high-power TWT's, and this requires accurate modeling.
- NRL CHRISTINE 3D and MICHELLE 2D/3D codes are an integral part of L-3 ETI success.
 - MICHELLE 3D, in particular, is the only solution for 3D gun and collector design at L-3 ETI.
 - CHRISTINE 3D has proven to be the most accurate TWT circuit code in use today.
- All TWT designs in both space and ground groups are designed with NRL codes.



Wish List

- MICHELLE Optimization
 - Electrode shapes
 - Electrode voltages
- x86-64 Linux version of MICHELLE
- CC-TWT fast, accurate modeling solution

